

## Road Sweeper Warehouse Floor Cleaning Machine

### Part I: Introduction of the floor sweeper

G6 New sweeper, sweeping width of 1200mm, when conducting cleaning and sweeping, it can automatically adjust the lifting of brush handle; In case that the dust is large, press the dust vibration button to maintain the cleanliness of the filter element and to ensure that the cleaning effect.

### Part II: Features of the floor sweeper

The G6 new sweeper can clean 6000 square meters per hour, which is equivalent to the working efficiency of 6-8 cleaners, and the cleaning effect is cleaner than manual work.



Design of rotational molding large capacity water tank Water tank capacity up to 65L



Cleaning width up to 1.2 meters, can be flexible shuttle elevator good trafficability!



High flashing warning light, safe operation, always remind people around



The rear part of the machine adopts the split design, and the double air spring automatically pushes the water tank open



Waterproof and oil discharging type extended filter element, long service life and convenient replacement



The capacity of the dustbin is up to 120L, reducing the number of dumping

1. Design of rotational molding large capacity water tank
2. Cleaning width up to 1.2 meters, flexible through the elevator, good trafficability!
3. High flashing warning light, safe operation, always remind people around
4. The rear part of the machine adopts the split design, the buckle is loosened, and the double air spring automatically pushes the water tank open
5. Waterproof and oil discharging type extended filter element, long service life and convenient replacement
6. The capacity of the dustbin is up to 120L, reducing the number of dumping



## Henan Pivot Machinery Co.,Ltd.

Email: Wendy@pivotcleaningmachine.com

Web: www.pivotcleaningmachine.com

Add: No. 11 Changchun Road, Zhengzhou, China; Tel: +86-371-58651986, 15903873562

### Part III: Technical parameter

Item name	Parameter	Item name	Parameter
Cleaning width	>1200mm	Front wheel double hydraulic shock absorber	stable
Work efficiency	>6000 m <sup>2</sup> /h	Driving power	1000W
Climbing ability	25~30%	Operational efficiency	700+500+100*2+50
Main brush length	600mm	Working speed	6km/h
Side brush diameter	500mm	Travel speed	8km/h
Power source	48V	Filtration area	6m <sup>2</sup>
Working hours	3~4h	Turning radius	Turn in place
Bin capacity	120L	Weight	380kg
Tank capacity	65L	Chassis	Baosteel

### Part IV: Packaging details: Free fumigation wooden box

Port: Shanghai/Tianjin/Qingdao



### Part V: Our service

Pre-Sales Service

\* Inquiry and consulting support.



## Henan Pivot Machinery Co.,Ltd.

Email: [Wendy@pivotcleaningmachine.com](mailto:Wendy@pivotcleaningmachine.com)

Web: [www.pivotcleaningmachine.com](http://www.pivotcleaningmachine.com)

Add: No. 11 Changchun Road, Zhengzhou, China; Tel: +86-371-58651986, 15903873562

---

\* Sample testing support.

\* View our Factory.

\* Technical consultation

### After-Sales Service

\* Training how to instal the machine,

\* Training how to use the machine.

\* Engineers available to service machinery overseas.

\* Parts mailing

\* Technical consultation

**Note:** Our sweeper has two colors (orange and gray), which can be customized according to customer requirements